

Page 1/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 11.02.2021 Version number 30 Revision: 24.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: MOTIP® BRAKE CLEANER 750 ML
- · Article number: 090514
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Sector of Use

SU21 Consumer uses: Private households / general public / consumers

SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Process category

PROC7 Industrial spraying

PROC11 Non industrial spraying

- · Application of the substance / the mixture Cleaning agent/ Cleaner
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

MOTIP DUPLI B.V.

Wolfraamweg 2

NL-8471 XC Wolvega

The Netherlands

Tel: +31 (0)561 694400 *Fax:* +31 (0)561 694411

e-mail: msds@nl.motipdupli.com

- · Further information obtainable from: Department Product Safety
- · 1.4 Emergency telephone number:

+31 (0)561-694400 (09:00h - 17:00h)

UK: NPIS National Poisons Information Centre Tel: +44 0344 892 0111

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)

Printing date 11.02.2021 Version number 30 Revision: 24.08.2020

Trade name: MOTIP® BRAKE CLEANER 750 ML

(Contd. of page 1)

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms







GHS02

GHS07 GHS09

- · Signal word Danger
- · Hazard-determining components of labelling:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents / container in accordance with regional regulations.

· Additional information:

Buildup of explosive mixtures possible without sufficient ventilation.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
EC number: 921-024-6	Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-	<i>75-≤100%</i>		
Reg.nr.: 01-2119475514-35	5 hexane			
	 Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 			
	Skin Irrit. 2, H315; STOT SE 3, H336			
CAS: 124-38-9	carbon dioxide	2.5-<5%		
EINECS: 204-696-9	🔷 Press. Gas (Liq.), H280			

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- $\cdot \textit{After skin contact:} \ \textit{Immediately wash with water and soap and rinse thoroughly}.$
- · After eye contact: Rinse opened eye for several minutes under running water.

(Contd. on page 3)

Printing date 11.02.2021 Version number 30 Revision: 24.08.2020

Trade name: MOTIP® BRAKE CLEANER 750 ML

(Contd. of page 2)

- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture
 During heating or in case of fire poisonous gases are produced.

· 5.3 Advice for firefighters -

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources.

· 6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about fire and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Keep respiratory protective device available.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurised containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- \cdot 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

Printing date 11.02.2021 Version number 30 Revision: 24.08.2020

Trade name: MOTIP® BRAKE CLEANER 750 ML

(Contd. of page 3)

· Ingredients with limit values that require monitoring at the workplace:

124-38-9 carbon dioxide

WEL Short-term value: 27400 mg/m³, 15000 ppm Long-term value: 9150 mg/m³, 5000 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3

· Protection of hands:



Protective gloves

· Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

Butyl rubber gloves with a thickness of 0.4 mm are resistant to:

Acetone: 480 min Butyl acetate: 60 min Ethyl acetate: 170 min Xylene: 42 min

Butyl rubber gloves with a thickness of 0.4 mm are solvent resistant for 42-480 minutes. As protective measure, we recommend that users and responsible persons for work safety assume solvent resistance length of 42 minutes. Considering the data in section 3 of this SDS, one can assume longer resistance length in

particular cases.
• Eye protection: Not required.

SECTION 9: Physical and chemical properties

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol
Colour: Clear

Odour: Solvent-like
Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Melting point/freezing point: <-25 °C (<-13 °F)

(Contd. on page 5)

Printing date 11.02.2021 Version number 30 Revision: 24.08.2020

Trade name: MOTIP® BRAKE CLEANER 750 ML

	(Contd. of page
Initial boiling point and boiling range	2: Not applicable, as aerosol.
· Flash point:	-12 °C (10.4 °F)
	Not applicable, as aerosol.
· Flammability (solid, gas):	Not applicable.
· Ignition temperature:	>200 °C (>392 °F)
· Decomposition temperature:	Not determined.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
· Explosion limits:	
Lower:	0.6 Vol %
Upper:	8 Vol %
· Vapour pressure at 20 °C (68 °F):	5500 hPa (4125.3 mm Hg)
· Density at 20 °C (68 °F):	0.7 g/cm³ (5.8 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	97.0 %
VOC (EC)	
	710.0 g/l
· VOC-EU%	97.00 %
· Solids content:	0.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

Oral LD50 >5840 mg/kg (rat)

(Contd. on page 6)

Printing date 11.02.2021 Version number 30 Revision: 24.08.2020

Trade name: MOTIP® BRAKE CLEANER 750 ML

(Contd. of page 5)

Dermal	LD50	>2920 mg/kg (rab)
Inhalative	LC50 / 4h	>25.2 mg/l (rat)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane

EC50 / 48 h 3 mg/l (daphnia magna)

EC50 / 72 h | 30-100 mg/l (algae)

LC50 / 96 h 11.4 mg/l (fish)

- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation:

Disposal must be made according to official regulations.

Disposal must be made according to official regulations.

GB

Printing date 11.02.2021 Version number 30 Revision: 24.08.2020

Trade name: MOTIP® BRAKE CLEANER 750 ML

(Contd. of page 6)

ADR, IMDG, IATA 14.2 UN proper shipping name ADR ADR 1950 AEROSOLS, ENVIRONMENTALLY HAZARDOUS AEROSOLS, (Naphtha (petroleum), hydrotreated light), MARINE POLLUTANT AEROSOLS, flammable 14.3 Transport hazard class(es) ADR Class Label 2.1 IMDG Class Label 2.1 IATA Class Label 2.1 IATA Class Label 2.1 IATA Class Label 3.1 IAS Penvironmental hazards: Marine pollutant: Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) F.D.S-U SW2 For AEROSOLS with a maximum capacity of 1 lin Category B. For WASTE AEROSOLS: Category C, Clear of living quarters.		
14.2 UN proper shipping name ADR ADR AEROSOLS (Naphtha (petroleum), hydrotreated light), MARINE POLLUTANT AEROSOLS, flammable 14.3 Transport hazard class(es) ADR Class Label 2.1 IMDG Class Label 2.1 IATA Class Label 3.1 IA Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tr	14.1 UN-Number ADR IMDG IATA	UN1950
IMDG ARROSOLS, (Raphtha (petroleum), hydrotreated light), MARINE POLLUTANT AEROSOLS, flammable 14.3 Transport hazard class(es) ADR Class Label 2.1 IMDG Class Label 2.1 LATA Por regulated Class Approach of the approach of the action of class 2 Company A. For AEROSOLS with a maximum capacity of 1 litre. Segregation Code Segregation Code Segregation as for class 9. Stow "separated from" class - except of wixton 1.4 For AEROSOLS with a capacity above 1 litre. Segregation as for class 9. Stow "separated from" class - except of division 1.4 For AEROSOLS with a capacity above 1 litre. Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS: Label Caregory B. For WASTE AEROSOLS with a capacity above 1 litre. Segregation as for class 9. Stow "separated from" class - except for division 1.4 For AEROSOLS with a capacity above 1 litre. Segregation as for class 9. Stow "separated from" class - except for division 1.4 For AEROSOLS with a capacity above 1 litre. Segregation as for class 9. Stow "separated from" class - except for division as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		0111730
AEROSOLS (Naphtha (petroleum), hydrotreated light), MARINE POLLUTANT AEROSOLS, flammable 14.3 Transport hazard class(es) ADR Class 2 5F Gases. Label 2.1 IMDG Class 2.1 Label 2.1 LATA Class 2.1 Label 2.1 LATA Class 2.1 Label 3.1 LATA Class 4.1 LAFacking group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (Fis		1050 AFPOSOIS ENVIDONMENTALLY HAZADDOUS
MARINE POLLUTANT AEROSOLS, flammable 14.3 Transport hazard class(es) ADR Class 2 5F Gases. Label 2.1 IMDG Class 2.1 Label 2.1 IATA Class 2.1 Label 2.1 IATA Class 2.1 Label 2.1 IATA Class 2.1 IAS Environmental hazards: Marine pollutant: Special marking (ADR): Symbol (fish and tree) Symbol (fish and tree) Yarning: Gases. 1-1.5-U SW2 For AEROSOLS with a maximum capacity of 1 lin. Category A. For AEROSOLS with a capacity above 1 lit. Category A. For AEROSOLS with a maximum capacity of 1 lin. Category A. For AEROSOLS with a maximum capacity of 1 lin. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For AEROSOLS with a maximum capacity of 1 lin. Segregation Code Segregation Code Segregation Sof class 9. Stow "separated from" class except for division 1.4 For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
AATA AEROSOLS, flammable 14.3 Transport hazard class(es) ADR Class Class Label 2.1 IMDG Class Label 2.1 ATA Class Label 2.1 ATA AEROSOLS, flammable 2.5 F Gases. 2.1 Label 2.1 Latel 14.4 Packing group ADR, IMDG, IATA not regulated 14.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Symbol (fish a	IIIDG	
Class 2.1 IMDG Class 2.1 IMDG Class 2.1 IATA Class 2.1 IATA Class 2.1 IATA Class 2.1 IATA ADR, IMDG, IATA not regulated 14.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) 14.6 Special precautions for user Hazard identification number (Kemler code): - EMS Number: Stowage Code Warning: Gases.	IATA	
Class 2.1 IMDG Class 2.1 Label 2.1 IATA Class 2.1 LATA Class 2.1 LATA Class 2.1 LATA Class 2.1 LATA Class 2.1 LAAP acking group ADR, IMDG, IATA not regulated 14.4 Packing group ADR, IMDG, IATA not regulated 14.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) Hadarad identification number (Kemler code): EMS Number: Stowage Code Warning: Gases.	14.3 Transport hazard class(es)	
Label Class 2.1 Label 2.1 IATA Class 2.1 Label 2.1 IATA Class 2.1 Label 2.1 I4.4 Packing group ADR, IMDG, IATA not regulated 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Gases.	ADR	
Label 2.1 Class 2.1 Label 2.1 IATA Class 2.1 Label 2.1 IATA Class 2.1 Label 2.1 I4.4 Packing group ADR, IMDG, IATA not regulated 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Gases.		
Label Class 2.1 Label 2.1 IATA Class 2.1 Label 2.1 IATA Class 2.1 Label 2.1 I4.4 Packing group ADR, IMDG, IATA not regulated 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Symbol (fish and tree) Symbol (fish and tree) Symbol (fish and tree) Warning: Gases.	Class	2 5F Gases.
Class 2.1 IATA Class 2.1 Label 2.1 IATA Class 2.1 Label 2.1 I4.4 Packing group ADR, IMDG, IATA not regulated I4.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) I4.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lin Category B. For WASTE AEROSOLS with a maximum capacity of 1 lin Segregation Code SG9 For AEROSOLS with a maximum capacity of 1 lin Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:	Label	
Label Class Label 2.1 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Symbol (fish and tree) Symbol (fish and tree) 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code Swil Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit. Category B. For WASTE AEROSOLS: Category C, Clea of living quarters. Segregation Code Segregation Code Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a appropriate subdivision of class 2 For WASTE AEROSOLS:	IMDG	
Label Class Label 2.1 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): Symbol (fish and tree) Symbol (fish and tree) 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code SWI Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lith Category A. For AEROSOLS: with a capacity above 1 lith Category B. For WASTE AEROSOLS: Category C, Cleat of living quarters. Segregation Code Segregation Code Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:	¥2	
Class 2.1 Label 2.1 14.4 Packing group ADR, IMDG, IATA not regulated 14.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lit. Category A. For AEROSOLS with a capacity above 1 lit. Category B. For WASTE AEROSOLS: Category C, Clea. of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 lit. Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
Class 2.1 1.4 Packing group ADR, IMDG, IATA not regulated 1.4.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (ADR): Symbol (fish and tree) 1.4.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: F-D,S-U Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lith Category B. For WASTE AEROSOLS: Category C, Cleat of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 lith Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:	Label	2.1
Label 14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code Swaring: Gases. P.D.S-U SWU2 For AEROSOLS with a maximum capacity of 1 lith Category A. For AEROSOLS with a capacity above 1 lith Category B. For WASTE AEROSOLS: Segregation Code Segregation Code Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
14.4 Packing group ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Symbol (fish and tree) Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litt Category A. For AEROSOLS: Category C, Clear of living quarters. Segregation Code Segregation Code Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
ADR, IMDG, IATA 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 lith Category A. For AEROSOLS: Category C, Clear of living quarters. Segregation Code Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		2.1
Marine pollutant: Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litt Category A. For AEROSOLS: Category C, Clear of living quarters. Segregation Code Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		not regulated
Special marking (ADR): 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr. Category A. For AEROSOLS with a capacity above 1 litr. Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litr. Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:	,	
14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litr. Category A. For AEROSOLS with a capacity above 1 litr. Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litr. Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
Hazard identification number (Kemler code): EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litted to Category A. For AEROSOLS with a capacity above 1 litted to Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litted to Segregation as for class 9. Stow "separated from" class a except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:	<u>- </u>	
EMS Number: Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litted Category A. For AEROSOLS with a capacity above 1 litted Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litted Segregation as for class 9. Stow "separated from" class except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		Warning: Gases.
Stowage Code SWI Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litted Category A. For AEROSOLS with a capacity above 1 litted Category B. For WASTE AEROSOLS: Category C, Clean of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litted Segregation as for class 9. Stow "separated from" class a except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		- FDSU
SW22 For AEROSOLS with a maximum capacity of 1 lite Category A. For AEROSOLS with a capacity above 1 lite Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 lite Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		· · · · · · · · · · · · · · · · · · ·
Category A. For AEROSOLS with a capacity above 1 lite Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 lite Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:	Siorage Couc	
Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 lith Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litr Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
Segregation as for class 9. Stow "separated from" class sexcept for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:	Segregation Code	
For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
Segregation as for the appropriate subdivision of class 2 For WASTE AEROSOLS:		
For WASTE AEROSOLS:		

Printing date 11.02.2021 Version number 30 Revision: 24.08.2020

Trade name: MOTIP® BRAKE CLEANER 750 ML

	(Contd. of page
· 14.7 Transport in bulk according to Anne	ex II of
Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
$\cdot ADR$	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
· Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
\cdot Excepted quantities (EQ)	Code: E0
· · -	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTALLY
-	HAZARDOUS

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category

E2 Hazardous to the Aquatic Environment

P3b FLAMMABLE AEROSOLS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:
- · Other regulations, limitations and prohibitive regulations
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

- · Department issuing SDS: R&D legislation and regulatory advisor
- $\cdot \textbf{\textit{Contact:}} \ msds@nl.motipdupli.com$
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 9)

Printing date 11.02.2021 Version number 30 Revision: 24.08.2020

Trade name: MOTIP® BRAKE CLEANER 750 ML

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Aerosol 1: Aerosols – Category 1

Press. Gas (Liq.): Gases under pressure – Liquefied gas Flam. Liq. 2: Flammable liquids – Category 2

Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

(Contd. of page 8)

GE