



Auto Refinishing Products

## PROFESSIONAL LINE PRODUCT RANGE



# About Us

HB BODY S.A. was established in 1982 with the aim to produce and distribute high quality products for the automotive refinishing industry. We are based in Thessaloniki Greece in self-owned establishments. Ninety percent of our products are exported to 75 countries throughout the world, whilst still holding the lead position within the Greek market.

HB BODY has three subsidiaries in United Kingdom, Bulgaria, Spain and marketing / promotion centres in Serbia and Russia. Within Greece we also have a distribution centre in Athens, covering Southern Greece and the Islands.

New technology  
New generation  
New products



Here at HB BODY S.A.  
we are ready for every  
challenge.

New design  
Premium quality...



**Auto Refinishing Products**

# PROFESSIONAL LINE PRODUCT RANGE

## FILLERS - UNDERBODY - SEALANTS



### F 202 ZINC PLUS

2K polyester filler, suitable for all metals. Exceptional adhesion on galvanized surfaces. Sanded with P100 - P180.  
Tin: 1.8Kg  
Colour: Beige



### F 211 BODYSOFT

2K polyester filler suitable for metallic, wooden and polyester surfaces. Sanded with P100 - P240.  
Tin: 250gr, 380gr, 1Kg, 2Kg, 3Kg, 5Kg  
Colour: Beige



### F 213 UNIPLUS

2K polyester filler, suitable for application on all metals. Sanded with P100 - P180.  
Tin: 2Kg  
Colour: Beige



### F 290 MULTIFILLER

2K ultra light multifiller. Excellent adhesion and elasticity over all metallic surfaces. Sanded with P180 - P400.  
Tin: 500ml, 1L, 1.5L, 3L  
Colour: Beige



### F 220 BODYFINE

2K extra fine polyester stopper / filler. Smooth surface and a perfect feather edge. Sanded with P150 - P400.  
Tin: 250gr, 1Kg  
Colour: White



### F 216 SOFTPLUS

2K fine polyester filler suitable for all metallic surfaces. Sanded with P120 - P400.  
Tin: 500ml, 1L, 1.5L  
Colour: Beige



### F 250 BODYFIBER

Fiberglass 2K polyester filler. Sanded with P80 - P120.  
Tin: 250gr, 380gr, 750gr, 1.5Kg  
Colour: Green



### F 217 FIBERLIGHT

2K fiberglass light polyester filler. Sanded with P100 - P120.  
Tin: 500ml, 1L, 2L  
Colour: Light Green



### F 215 FIBERLIGHT

2K light polyester filler with long fiberglass for bridging and filling of cavities. Sanded with P100 - P120.  
Tin: 1L, 2L  
Colour: Transparent



### F 222 BUMPERSOFT

2K elastic polyester filler. Excellent adhesion on bumpers and plastic parts. Sanded with P120 - P180.  
Tin: 250gr, 1Kg  
Colour: Black



### F 255 BODYALU

2K aluminium polyester filler. Increased thickness and resistance to vibration. Sanded with P80 - P120.  
Tin: 250gr, 1Kg, 1.8Kg  
Colour: Silver



### U 951 AUTO FLEX

Rubber - based sound deadening / sealing product. Overpainted "wet on wet" with all paint systems.  
Tin: 1L, Aerosol 400 ml  
Colour: Black, Grey, White



### S 115 AUTO SEAL

Rubber - based sealer. Can be overpainted with all paint systems.  
Tin: 1Kg, 300 ml cartridge  
Colour: Grey



## 1K - 2K PRIMERS



### P 334 4:1 HS FILLING PRIMER

High quality acrylic – filling, sealing primer. Also suitable for plastic & unsanded cataphoresis OEM panels and “wet on wet” application.  
Tin: 1L, 4L  
Colour: White, Black, Grey



### P 307 4:1 HS FILLING PRIMER

2K high build acrylic primer.  
Tin: 1L, 4L  
Colour: Transparent, White, Black, Grey



### P 411 4:1:1 WET ON WET PRIMER

High quality acrylic sealing primer, ideal for “wet on wet” application.  
Tin: 1L, 4L  
Colour: White, Black, Grey



### P 261 POLYESTER FILLING PRIMER

2K polyester filling primer. Outstanding filling properties. Paintable with all paint systems.  
Tin: 1L  
Colour: Grey



### P 333 3:1 HS FILLING PRIMER

2K high build acrylic primer.  
Tin: 1L, 3L  
Colour: White, Black, Grey



### P 335 5:1 HS FILLING PRIMER

2K high build acrylic primer.  
Tin: 1L, 4L  
Colour: White, Black, Grey



### P 360 2:1 HS FILLING PRIMER

High quality acrylic primer. Suitable for plastic & unsanded cataphoresis OEM panels.  
Tin: 1L, 4L  
Colour: White, Black, Grey, Transparent  
Tin: Aerosol 400ml  
Colour: White, Black, Yellow, Red, Blue, Green, Grey



### P 961 1K ETCH PRIMER

1K direct to all metals anticorrosive primer.  
Tin: 1L, 4L  
Colour: Grey  
Tin: Aerosol 400ml  
Colour: Dark grey, Grey, Light Grey, Yellow olive, Olive



### P 962 1K ISOLATOR PRIMER

1K special isolating primer. Use 769 GUN WASH CLEANER to clean the spray gun.  
Tin: 1L, Aerosol 400ml  
Colour: Haki



### P 980 1K PRIMER

Fast drying 1K filling primer.  
Tin: 1L, 4L  
Colour: Grey



### P 981 1K EPOXY PRIMER

Fast drying 1K epoxy primer. Overpainted with all paint systems  
Tin: 1L, Aerosol 400ml  
Colour: Grey



## HARDENERS for PRIMERS



### H 729 HARDENER NORMAL

Isocyanate normal hardener for all 2K primers and for "wet on wet" application.  
Tin: 250ml, 1L  
Colour: Transparent



### H 725 HARDENER

Isocyanate hardener for all 2K primers.  
Tin: 200ml, 250ml, 333ml, 1L  
Colour: Transparent yellow



### H 725 HARDENER SLOW

Isocyanate slow hardener for all 2K primers.  
Tin: 200ml, 250ml, 333ml, 1L  
Colour: Transparent yellow

	P 334 4:1 HS FILLING PRIMER	P 307 4:1 HS FILLING PRIMER	P 411 4:1:1 WET ON WET PRIMER	P 333 3:1 HS FILLING PRIMER	P 335 5:1 HS FILLING PRIMER	P 360 2:1 HS FILLING PRIMER
H 729 HARDENER NORMAL	✓ wet on wet	✓ wet on wet	✓ wet on wet	-	-	✓ wet on wet
H 725 HARDENER	✓ up to 25°C	✓ up to 25°C	-	✓ up to 25°C	✓ up to 25°C	✓ up to 25°C
H 725 HARDENER SLOW	✓ over 25°C	✓ over 25°C	-	✓ over 25°C	✓ over 25°C	✓ over 25°C

*\*The recommended temperatures may change depending on the area (panel(s) size) of application.*

## CLEAR COATS



### C 894 CLEAR ULTRA HS 2:1

2K acrylic 2:1 ultra HS clear coat, suitable for full and partial refinishes. Use with hardeners H 734 NORMAL, H 735 FAST & H 733 SLOW. Tin: 1L, 5L  
Colour: Transparent

### C 494 CLEAR ULTRA HS 2:1

2K acrylic 2:1 ultra HS clear coat, suitable for full and partial refinishes. Use with hardeners H 734 NORMAL, H 735 FAST & H 733 SLOW. Tin: 1L, 5L  
Colour: Transparent



### C 499 CLEAR HS SR 2:1

2K acrylic 2:1 HS SR clear coat, suitable for full and partial refinishes. Tin: 500ml, 1L, 5L  
Colour: Transparent



### C 496 CLEAR HS SR 2:1

2K acrylic 2:1 HS SR clear coat, suitable for full and partial refinishes. Tin: 1L, 5L, Aerosol 400ml  
Colour: Transparent



### C 495 CLEAR EXPRESS SR 4:1

Fast drying 4:1 SR clear coat, suitable for spot panel repairs. Tin: 1L, 5L  
Colour: Transparent



### C 495 4:1 CLEAR EXPRESS SEMI GLOSS

4:1 semigloss clear coat with perfect finish for partial refinish. Tin: 1L, Aerosol 400ml  
Colour: Transparent Semi gloss



### C 493 MATT CLEAR HS 2:1

2:1 matt clear coat with perfect matt finish for full and partial refinishes. Tin: 1L  
Colour: Transparent Matt

## HARDENERS for TOP COATS



### H 752 HARDENER SLOW

Isocyanate slow hardener for 2K acrylic paints and 2K clear coats. Tin: 500ml, 1L, 2.5L, 5L  
Colour: Transparent



### H 753 HARDENER NORMAL

Isocyanate normal hardener for 2K acrylic paints and 2K clear coats. Tin: 500ml, 1L, 2.5L, 5L  
Colour: Transparent




### H 754 HARDENER FAST

Isocyanate fast hardener for 2K acrylic paints and 2K clear coats. Tin: 500ml, 1L, 2.5L, 5L  
Colour: Transparent

	C 894 CLEAR UHS 2:1	C 494 CLEAR UHS 2:1	C 499 CLEAR HS SR 2:1	C 496 CLEAR HS SR 2:1	C 495 CLEAR EXPRESS SR 4:1	C 495 CLEAR EXPRESS SEMI GLOSS	C 493 MATT CLEAR HS 2:1
H 752 HARDENER SLOW	-	-	✓ over 30°C	✓ over 30°C	✓ over 30°C	✓ over 30°C	✓ over 30°C
H 753 HARDENER NORMAL	-	-	✓ 23 - 30°C	✓ 23 - 30°C	✓ 23 - 30°C	✓	✓
H 754 HARDENER FAST	-	-	✓ up to 23°C	✓ up to 23°C	✓ up to 23°C	-	-
H 733 HARDENER SLOW	✓ over 30°C	✓ over 30°C	-	-	-	-	-
H 734 HARDENER NORMAL	✓ 23 - 30°C	✓ 23 - 30°C	-	-	-	-	-
H 735 HARDENER FAST	✓ up to 23°C	✓ up to 23°C	-	-	-	-	-

\*The recommended temperatures may change depending on the area (panel(s) size) of application.

YOUR LOCAL DISTRIBUTOR



**Auto Refinishing Products**

**HB BODY S.A.**  
t. +30 2310 790000  
f. +30 2310 790010  
e. [exsales@hbbody.com](mailto:exsales@hbbody.com)

[www.hbbody.com](http://www.hbbody.com)

Follow us:

